This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- 'ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

OIPE

2#

RAW SEQUENCE LISTING DATE: 10/09/2001 PATENT APPLICATION: US/09/899,429 TIME: 09:32:34

Input Set : A:\98385Jseq.txt

```
3 <110> APPLICANT: Hauptmann, Rudolph
         Himmler, Adolph
         Maurer-Fogy, Ingrid
         Stratowa, Christian
 Stratowa, Christian
8 <120> TITLE OF INVENTION: TNF Receptors, TNF Binding From the last Cooling for
11 <130> FILE REFERENCE: 98,385-J
13 <140> CURRENT APPLICATION NUMBER: 09/899,429
14 <141> CURRENT FILING DATE: 2001-07-03
16 <150> PRIOR APPLICATION NUMBER: 09/792,356
17 <151> PRIOR FILING DATE: 2000-02-23
19 <150> PRIOR APPLICATION NUMBER: 08/477,639
20 <151> PRIOR FILING DATE: 1955-06-07
22 <150> PRIOR APPLICATION NUMBER: 08/383,676
23 <151> PRIOR FILING DATE: 1995-02-01
25 <150> PRIOR APPLICATION NUMBER: 08/153,287
26 <151> PRIOR FILING DATE: 1993-11-17
28 <150> PRIOR APPLICATION NUMBER: 07/821,750
29 <151> PRIOR FILING DATE: 1992-01-02
31 <150> PRIOR APPLICATION NUMBER: 07/511,430
32 <151> PRIOR FILING DATE: 1990-04-20
34 <160> NUMBER OF SEQ ID NOS: 87
36 <170> SOFTWARE: PatentIn Ver. 2.0
38 <210> SEQ ID NO: 1
39 <211> LENGTH: 1368
40 <212> TYPE: DNA
41 <213> ORGANISM: Homo sapiens
43 <220> FEATURE:
44 <221> NAME/KEY: CDS
45 <222> LOCATION: (1)..(1368)
47 <220> FEATURE:
48 <221> NAME/KEY: sig_peptide
49 <222> LOCATION: (1)..(87)
51 <220> FEATURE:
52 <221> NAME/KEY: misc_feature
53 <222> LOCATION: (88)..(120)
54 <223> OTHER INFORMATION: Portion of TNF-BP pro protein cleaved by
         extracellular proteases following secretion.
57 <220> FEATURE:
58 <221> NAME/KEY: misc_feature
59 <222> LOCATION: (606)..(633)
60 <223> OTHER INFORMATION: Portion of TNF-BP pro protein cleaved by
         extracellular proteases following secretion.
63 <400> SEQUENCE: 1
64 atg ggc ctc tcc acc gtg cct gac ctg ctg ctg cca ctg gtg ctc ctg
                                                                       48
65 Met Gly Leu Ser Thr Val Pro Asp Leu Leu Pro Leu Val Leu Leu
66
    1
                                        10
```

Input Set : A:\98385Jseq.txt

96
144
192
240
288
336
384
432
480
528
528
528 576
576
576
576 624
576
576 624
576 624 672
576 624
576 624 672
576 624 672 720
576 624 672
576 624 672 720
576 624 672 720 768
576 624 672 720
576 624 672 720 768
576 624 672 720 768

Input Set : A:\98385Jseq.txt

	Phe	Ser		Thr	Pro	Gly	Phe	Thr	Pro	Thr	Leu	Gly		Ser	Pro	Val	
134			275					280					285				
		_						agc							_	_	912
	Pro	Ser	Ser	Thr	Phe	Thr		Ser	Ser	Thr	Tyr		Pro	Gly	Asp	Cys	
138		290					295					300					
								aga									960
141	Pro	Asn	Phe	Ala	Ala	Pro	Arg	Arg	Glu	Val	Ala	Pro	Pro	Tyr	Gln	Gly	
142	305					310					315					320	
144	gct	gac	ccc	atc	ctt	gcg	aca	gcc	ctc	gcc	tcc	gac	ccc	atc	ccc	aac	1008
145	Ala	Asp	Pro	Ile	Leu	Ala	Thr	Ala	Leu	Ala	Ser	Asp	Pro	Ile	Pro	Asn	
146					325					330					335		
148	ccc	ctt	caq	aag	tgg	gag	gac	agc	gcc	cac	aag	cca	cag	agc	cta	gac	1056
								Ser									
150				340	-		_		345		_			350		_	
	act	gat	gac	ccc	aca	acq	cta	tac	qcc	ata	ata	qaq	aac	qtq	ccc	ccq	1104
								Tyr									
154			355					360					365				
	ttσ	cac		ааσ	αаа	ttc	ata	cgg	cac	cta	aaa	cta		gac	cac	σασ	1152
								Arg									
158		370		270	014		375	5	5		1	380					
	atc		caa	cta	σασ	cta		aac	aaa	cac	tac		cac	σασ	aca	caa	1200
		_		_		_	-	Asn		-	-						
	385	1105	**** 9	ЦСи	Olu	390	01		017	••••	395					400	
		200	ato	cta	aca		taa	agg	caa	СПС	-	cca	caa	cac	σασ		1248
								Arg									1240
166	1 7 1	261	Hec	Бец	405	1111	115	пта	nrg	410	1111	110	1119	my	415	niu	
	200	ota	αρα	cta	-	ппа	cac	gtg	ctc		αac	atα	αac	cta		aac	1296
								Val									1270
170	1111	пец	Giu	420	Deu	GLY	пта	VUL	425	пту	пор	Hec	пор	430	пси	OLY	
	taa	ata	a a a		ato	a a a	πεπ	gcg		tac	aac	ccc	acc	-	ctc	cca	1344
								Ala									1911
174	Cys	пеп	435	кар	116	GIU	GIU	440	пец	СуЗ	GLY	110	445	niu	LCu	110	
	000	~~~		20+	a++	at a	3.073						773				1368
	ccc Pro			-			-	Lya									1300
178	PIO	450	PIO	ser	ьеu	Leu	455										
	-21/			NO.			433										
	<210																
	<211				00												
	<212				•••			_									
	<213> ORGANISM: Homo sapiens <400> SEQUENCE: 2																
						1	5		•	.	T	D	T	17- 1	Ŧ	7	
	_	GLY	Leu	ser	_	val	Pro	Asp	Leu		ьеи	PIO	Leu	Val		ьeu	
188	1		.		5	- 7.	m- ·	D	O =	10	17. 3	- 1 -	01	T	15	Des	
	GIU	ьeu	ьeu		GTÀ	тте	туr	Pro		стХ	val	тте	отА		val	5LO	
191		_	- 1	20	•	a 1.	T	•	25	0	11 m 7	0	D	30	01 4-	T	
	His	Leu	_	Asp	Arg	Glu	ьуs	Arg	Asp	ser	vaı	cys		GIN	стА	гÀг	
194	_		35	_	~ 3	- .	-	40	-1	~	~	m).	45	G	77.2 -	T 6	
	Tyr		HIS	Pro	GIN	Asn		Ser	тте	cys	cys		гÀг	cys	HIS	тÀЗ	
197	~ 1	50	m -	- .	m- ·		55	G	D	a 2	D	60	a 1	3	m l	3	
199	GTA	Thr	Tyr	Leu	Tyr	Asn	Asp	Cys	Pro	GTA	Pro	GTÅ	GIN	Asp	rnr	Asp	

Input Set : A:\98385Jseq.txt

200	65					70					75					80
202	Cys	Arg	Glu	Cys	Glu	Ser	Gly	Ser	Phe	Thr	Ala	Ser	Glu	Asn	His	Leu
203					85					90					95	
205	Arg	His	Cys	Leu	Ser	Cys	Ser	Lys	Cys	Arg	Lys	Glu	Met	Gly	Gln	Val
206				100					105					110		
208	Glu	Ile	Ser	Ser	Cys	Thr	Val	Asp	Arg	Asp	Thr	Val	Cys	Gly	Cys	Arg
209			115					120					125			
211	Lys		Gln	Tyr	Arg	His		\mathtt{Trp}	Ser	Glu	Asn		Phe	Gln	Cys	Phe
212		130					135					140				
		Cys	Ser	Leu	Cys		Asn	Gly	Thr	Val		Leu	Ser	Cys	Gln	
	145			_	_	150					155			_		160
	Lys	GIn	Asn	Thr		Cys	Thr	Cys	His		GLY	Phe	Phe	Leu		GIu
218	_	a 1		**- 1	165	~	a	3	0	170	T	G	T	01	175	ml
	ASN	GIU	Cys		ser	Cys	ser	Asn	185	гÀг	гàг	ser	reu	190	Cys	THE
221	Tvc	T 011	Cvc	180	Dro	Cln	T10	Glu		Va 1	Luc	Clu	Thr		λen	Sar
224	пуз	neu	195	neu	PIU	GIII	116	200	ASII	Val	цуз	СТУ	205	GIU	изр	261
	Glv	Thr		Va l	Len	Len	Pro	Leu	Va l	Tle	Phe	Phe	-	Leu	Cvs	Leu
227	011	210	1	,	Lou	Deu	215	Lou	, 42		1	220	0-1	200	0,0	
	Leu		Leu	Leu	Phe	Ile		Leu	Met	Tvr	Arg		Gln	Arq	Trp	Lvs
	225					230	1			- 4 -	235	- 1		٠,		240
232	Ser	Lys	Leu	Tyr	Ser	Ile	Val	Cys	Gly	Lys	Ser	Thr	Pro	Glu	Lys	Glu
233		-		-	245			-	-	250					255	
235	Gly	Glu	Leu	Glu	Gly	Thr	Thr	Thr	Lys	Pro	Leu	Ala	Pro	Asn	Pro	Ser
236				260					265					270		
238	Phe	Ser		Thr	Pro	Gly	Phe	Thr	Pro	Thr	Leu	Gly	Phe	Ser	Pro	Val
239			275					280					285			
	Pro		Ser	Thr	Phe	Thr		Ser	Ser	Thr	Tyr		Pro	Gly	Asp	Cys
242	_	290	_,			_	295	_				300	_	_	~ 3	~3
		Asn	Phe	Ala	Ala		Arg	Arg	GIu	Val		Pro	Pro	Tyr	Gin	
	305	3	D	T1.	т а	310	mh	21-	T 011	A 1 -	315	7 ~~	Dwa	т1.	D=0	320
247	Ald	Asp	PIO	тте	325	Ата	THE	Ala	Leu	330	ser	ASP	PIO	TTE	335	ASII
	Dro	Len	Cln	Lve		Glu	λen	Ser	λla		T.ve	Pro	Gln	Sar		Aen
251	FIU	пеп	GIII	340	ııp	GIU	изр	261	345	птэ	БуЗ	rio	GIII	350	пец	изр
	Thr	Asp	Asp	-	Ala	Thr	Leu	Tyr		Val	Va 1	Glu	Asn		Pro	Pro
254		op	355				Lou	360				0	365			
	Leu	Arq		Lvs	Glu	Phe	Val	Arg	Arq	Leu	Gly	Leu	Ser	Asp	His	Glu
257		37Ó	•	-			375	_			-	380		•		
259	Ile	Asp	Arg	Leu	Glu	Leu	Gln	Asn	Gly	Arg	Cys	Leu	Arg	Glu	Ala	Gln
	385	_	_			·390					395					400
262	Tyr	Ser	Met	Leu	Ala	Thr	Trp	Arg	Arg	Arg	Thr	${\tt Pro}$	Arg	Arg	Glu	Ala
263					405					410					415	
	Thr	Leu	Glu		Leu	Gly	Arg	Val		Arg	Asp	Met	Asp		Leu	Gly
266				420					425		_		_	430		
	Cys	Leu		Asp	Ile	Glu	Glu	Ala	Leu	Cys	Gly	Pro		Ala	Leu	Pro
269	_		435	_	_	_	_	440					445			
	Pro		Pro	Ser	Leu	Leu	_									
272		450					455									

Input Set : A:\98385Jseq.txt

Output Set: N:\CRF3\10092001\1899429.raw

```
275 <210> SEQ ID NO: 3
276 <211> LENGTH: 483
277 <212> TYPE: DNA
278 <213> ORGANISM: Homo sapiens
280 <220> FEATURE:
281 <221> NAME/KEY: CDS
282 <222> LOCATION: (1)..(483)
284 <400> SEQUENCE: 3
285 gat agt gtg tgt ccc caa gga aaa tat atc cac cct caa aat aat tcg
                                                                       48
286 Asp Ser Val Cys Pro Gln Gly Lys Tyr Ile His Pro Gln Asn Asn Ser
                                                                       96
289 att tgc tgt acc aag tgc cac aaa gga acc tac ttg tac aat gac tgt
290 Ile Cys Cys Thr Lys Cys His Lys Gly Thr Tyr Leu Tyr Asn Asp Cys
                 20
293 cca ggc ccg ggg cag gat acg gac tgc agg gag tgt gag agc ggc tcc
                                                                       144
294 Pro Gly Pro Gly Gln Asp Thr Asp Cys Arg Glu Cys Glu Ser Gly Ser
                                  40
297 ttc acc gct tca gaa aac cac ctc aga cac tgc ctc agc tgc tcc aaa
                                                                       192
298 Phe Thr Ala Ser Glu Asn His Leu Arg His Cys Leu Ser Cys Ser Lys
301 tgc cga aag gaa atg ggt cag gtg gag atc tct tct tgc aca gtg gac
                                                                       240
302 Cys Arg Lys Glu Met Gly Gln Val Glu Ile Ser Ser Cys Thr Val Asp
303 65
                                              75
                         70
305 cgg gac acc gtg tgt ggc tgc agg aag aac cag tac cgg cat tat tgg
                                                                       288
306 Arg Asp Thr Val Cys Gly Cys Arg Lys Asn Gln Tyr Arg His Tyr Trp
                     85
                                                                       336
309 agt gaa aac ctt ttc cag tgc ttc aat tgc agc ctc tgc ctc aat ggg
310 Ser Glu Asn Leu Phe Gln Cys Phe Asn Cys Ser Leu Cys Leu Asn Gly
                100
                                     105
313 acc gtg cac ctc tcc tgc cag gag aaa cag aac acc gtg tgc acc tgc
                                                                       384
314 Thr Val His Leu Ser Cys Gln Glu Lys Gln Asn Thr Val Cys Thr Cys
315
            115
317 cat gca ggt ttc ttt cta aga gaa aac gag tgt gtc tcc tgt agt aac
                                                                       432
318 His Ala Gly Phe Phe Leu Arg Glu Asn Glu Cys Val Ser Cys Ser Asn
                            135
321 tgt aag aaa agc ctg gag tgc acg aag ttg tgc cta ccc cag att gag
                                                                       480
322 Cys Lys Lys Ser Leu Glu Cys Thr Lys Leu Cys Leu Pro Gln Ile Glu
323 145
                                             155
                                                                       483
325 aat
326 Asn
329 <210> SEQ ID NO: 4
330 <211> LENGTH: 161
331 <212> TYPE: PRT
332 <213> ORGANISM: Homo sapiens
334 <400> SEQUENCE: 4
335 Asp Ser Val Cys Pro Gln Gly Lys Tyr Ile His Pro Gln Asn Asn Ser
     1
338 Ile Cys Cys Thr Lys Cys His Lys Gly Thr Tyr Leu Tyr Asn Asp Cys
                                      25
```

Use of n and / or Xaa has been detected in the Sequence Listing. Review the Sequence Listing to ensure a corresponding explanation is present in the <220> to <223> fields of each sequence using n or Xaa.

VERIFICATION SUMMARY

PATENT APPLICATION: US/09/899,429

DATE: 10/09/2001 TIME: 09:32:35

Input Set : A:\98385Jseq.txt

Output Set: N:\CRF3\10092001\1899429.raw

L:690 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:13
L:818 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:13
L:850 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:13
L:888 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:13
L:1422 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:18
L:1442 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:19
L:1488 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:22
L:1554 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:26
L:1629 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:31
L:1670 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:33
L:1673 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:33
L:1692 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:34
L:1695 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:34
L:1728 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:34